

IN THE CLAIMS:

1 1. (Currently Amended) A blister pack for receiving and containing an article
2 to be packaged, comprising a front part having a recessed portion, [~~for receiving and~~
3 ~~containing an article to be packaged,~~] a back part having a relieved portion adapted for
4 insertion into the recessed portion of the front part for closure of the pack, and co-
5 operating locating means on the front and back parts respectively to maintain the pack
6 in a closed condition; wherein the locating means comprises an abutment on the inner
7 wall surface of the recessed portion of the front part, and a co-operating abutment on
8 the outer wall surface of the relieved portion of the back part, the inner and outer wall
9 abutments being located thereon such that they become inter-engaged to close the pack
10 only when the back part is contained wholly within the recessed portion of the front
11 part; the abutment on the inner wall surface of the recessed portion of the front part
12 extends from said wall surface to a greater extent than that by which the abutment of
13 the relieved portion of the back part extends from the outer wall surface thereof.

1 2. (Original) A blister pack according to Claim 1, wherein the front part has a
2 flange extending around the rim of the recessed portion.

1 3. (Original) A blister pack according to Claim 2, wherein the flange includes
2 an aperture for suspension of the blister pack upon a display hook.

File No.7423

1 4. (Previously Presented) A blister pack according to Claim 2, wherein the
2 flange includes a deformation of material in a peripheral region to provide the
3 appearance of a weld when the abutments are inter-engaged.

1 5. (Previously Presented) A blister pack according to Claim 1, wherein the
2 abutment of the front part comprises a continuous ridge protruding inwardly from the
3 wall surface of the recessed portion.

1 6. (Previously Presented) A blister pack according to Claim 1, wherein the
2 abutment of the back part comprises a continuous narrow flange protruding outwardly
3 from the relieved portion.

1 7. (Previously Presented) A blister pack according to Claim 1, wherein the
2 front and back parts of the pack are connected together by an integral hinged portion,
3 the entire pack being formed by deformation of a single sheet of translucent plastics
4 material.

1 8. (Previously Presented) A blister pack according Claim 1, wherein the front
2 part, on its inner or outer surface, has a surface texture to render the front part
3 translucent with reduced transparency.

1 9. (Original) A blister pack according to Claim 1, wherein the front part has a
2 stepped recess forming a plinth with an outer flange extending peripherally around the
3 plinth.

File No.7423

1 10. (Previously Presented) A blister pack according to Claim 1, wherein the
2 respective abutments of the front and back parts become inter-engaged with a snap
3 action when the pack is closed.

1 11. (Canceled)